HP Color LaserJet Managed Flow MFP E877z Printer series



Powerful, Flexible, Secure,

Change is the only constant in business. Transform your business with a printer that can be upgraded over time to expand capabilities. With HP's most secure printers you'll stay secure and simplify fleet management for busy IT pros.



Unleash peak productivity

- Experience speed and performance like no other with our fastest ever 300 ipm² duplex scan technology.
- Work faster and without interruptions with reverse and retry technology that automatically detects and resolves double feed issues.
- Easily scan and capture text from documents with high accuracy with OCR software, increase productivity with the optional accelerator card.
- Save time by simply scanning once and sending to multiple destinations with customized shortcuts built to eliminate steps and improve accuracy.

Customizable solutions built to last

- Make your day-to-day easier by customizing your print experience with cloud-connected HP Workpath apps that let you access personalized content, integrate paper and digital workflows.³
- Unleash your creativity and match any office décor with modern designs and the option of five customizable color panels.
- Give your team what they need to succeed with the HP Open Extensibility Platform containing hundreds of HP and third-party solutions as well as card reader support.
- Make color management simple & seamless with our HP Custom Color Manager. Match color output of any document/device combination without the hassle of expensive color matching systems.

Always on guard with HP Wolf Security

- With HP Sure Start always working behind the scenes, the operating code (BIOS) is automatically checked during start-up and repairs itself if compromised.
- The printer's outgoing network connections are inspected to stop suspicious requests and thwart malware so you can stay connected and in the clear.
- Run-time intrusion detection is always on guard. Common Criteria certified⁵ to continually monitor memory activity to keep you safe, detecting and stopping attacks in real time.
- HP Memory Shield™ is an embedded security feature that helps prevent a wide variety of malware attacks from redirecting the execution flow of a program.

Better printing, for a better planet

- The fiber-based packaging, including outer box and interior fiber-based cushions, for this product is 100% sustainably sourced, meaning it's made from recycled or certified content.⁶
- Our devices are made with the planet in mind with energy-efficient printing and toner cartridges made from more than 57% recycled plastic.⁷ Printing that puts the planet first.
- Our improved energy efficient designs meet the rigorous criteria of EPEAT Gold, Energy Star, and Blue Angel.8
- With formulas that meet current indoor air quality standards, our ultra-low melt toner is efficient for both printing and the planet.9

Product walkaround

- 1. Hardware Integration Pocket (for connecting accessories and third-party devices)¹
- 2. Flatbed scanner handles sheets up to A3
- 3. 500-sheet output bin
- 4. Automatic two-sided printing
- 5. Easy-access USB port²
- 6. Front door access to toner cartridges
- 7. HP High-Performance Secure Hard Disk
- 8. Slot for cable-type security lock
- 9. SuperSpeed USB 3.0 Host Port
- 10. Hi-Speed USB 2.0 Host Port
- 11. Gigabit Ethernet Port
- 12. Hi-Speed USB 3.0 device port
- 13. 520-sheet tray 3 supports media sizes up to A3
- 14. 300-sheet dual side ADF supports media sizes up to A3 (Flow models only)³
- 15. 25.6 cm color touchscreen display
- 16. Power button
- 17. Full size keyboard
- 18. Right door access to the print path
- 19. 100-sheet multipurpose tray 1 supports media sizes up to SRA3
- 20. 520-sheet tray 3 supports media sizes up to SRA3
- 21. Optional 2 x 520-sheet dual tray/stand supports media sizes up to SRA3



Series at a glance

Model	HP Color LaserJet Managed Flow MFP E877z					
Product number	5QK08A	5QK08A(Base) + 8EP60AAE (Speed license)	5QK08A(Base) + 8EP61AAE (Speed license)	5QK08A(Base) + 8EP62AAE (Speed license)		
Print speed (A4 and letter, black and color) ³	Up to 40 ppm	Up to 50 ppm	Up to 60 ppm	Up to 70 ppm		
Scan speed(A4 and letter, black and color) ⁴	150 ppm/300 ipm, simplex/duplex					
Functions	Print, copy, and scan (fax and wireless optional) (all models)					
ADF capacity	300 sheets					
Input capacity	Standard: 1,140 sheets; Maximum: 6,140 sheets (all models)					
Advanced workflow features	HP EveryPage technology, full size keyboard, embedded OCR, reverse and retry, auto orientation, auto-tone, auto page-crop, document editing, auto paper color removal, automatically straighten, job separation					

Top features

Get more done faster with industry leading printing, scanning and copying speeds, maximum uptime – powered by HP's custom designed quadcore processor.

Tailored on-device and cloud connected solutions to help optimize your workflows with flexibility to support your workforce today and evolve to meet your demands for tomorrow.

HP Wolf Enterprise Security provides the world's most secure printing through industry leading multi-layer, self-healing security that protects, detects, and adapts to new threats. We keep trouble out so you can

Save resources with our energy efficient printing that meets EPEAT Gold, Blue Angel and Energy Star standards; supporting HP's goal for carbon neutrality and a fully sustainable economy.

Services and Solutions

Service and Support	U03HDE HP 1 year Next Business Day with DMR Service for Color LaserJet Managed MFP E877xx U03HFE HP 3 year Next Business Day with DMR Service for Color LaserJet Managed MFP E877xx U03HGE HP 4 year Next Business Day with DMR Service for Color LaserJet Managed MFP E877xx U03HDE HP 5 year Next Business Day with DMR Service for Color LaserJet Managed MFP E877xx U03HSPE HP 1 year Post Warranty Next Business Day with DMR Service for Color LaserJet Managed MFP E877xx U03HTPE HP 1 year Post Warranty Next Business Day with DMR Service for Color LaserJet Managed MFP E877xx U03HTPE HP 1 year Post Warranty Next Business Day with DMR Service for Color LaserJet Managed MFP E877xx U03HME HP 1 year Post Warranty Next Business Day with DMR Service for Color LaserJet Managed MFP E877xx U03HNE HP 3 year Parts Exchange Service for Color LaserJet Managed MFP E877xx (Managed Component Only) U03HDE HP 4 year Parts Exchange Service for Color LaserJet Managed MFP E877xx (Managed Component Only) U03HNE HP 5 year Parts Exchange Service for Color LaserJet Managed MFP E877xx (Managed Component Only) U03HNPE HP 1 year PW Parts Exchange Service for Color LaserJet Managed MFP E877xx (Managed Component Only) U03HNPE HP 2 year PW Parts Exchange Service for Color LaserJet Managed MFP E877xx (Managed Component Only)
Solutions	Security: HP Access Control; HP Security Manager; HP Advance; HP Secure Print and Insights Mobile and universal print: HP Universal Print Driver (UPD); HP Print for Chrome Extension; HP Smart UPD; HP For Universal Print Workpath App Management: HP Web JetAdmin; HP Smart Device Services (SDS); Embedded Web Server; HP Custom Color Manager; HP Command Center; HP Smart Printer Administrator's Resource Kit

² Solutions deployed through the Hardware Integration Pocket (HIP) may require additional purchase.
3 An administrator must enable the easy-access USB port before use.
4 The EB77 series Flow models include a 300-sheet ADF. The EB77 series flow models include a 300-sheet ADF. The EB77 series Flow models include a 300-sheet ADF. The EB77 series Flow models include a 300-sheet ADF. The SB77 series Flow

Front panel optional colors



*Available with optional color panel accessories

```
Accessories
                               155P7A HP LaserJet InnerFinisher 2/3 Hole Punch
                               155P8A HP LaserJet InnerFinisher 2/4 Hole Punch
                              190A2A HP Color LaserJet Department Lunar Gray Color Panel
                               190A3A HP LaserJet Department Lunar Gray Color Panel
                               190A4A HP LaserJet Department 2x520 sheet Paper Tray/Stand Lunar Gray Color Panel
                               190A5A HP LaserJet Department High Capacity Paper Tray/Stand Lunar Gray Color Panel
                               190A8A HP LaserJet Department Stand Lunar Gray Color Panel
                              190B2A HP Color LaserJet Department Comet Red Color Panel
                              190B3A HP LaserJet Department Comet Red Color Panel
190B4A HP LaserJet Department 2x520 sheet Paper Tray/Stand Comet Red Color Panel
                               190B5A HP LaserJet Department High Capacity Paper Tray/Stand Comet Red Color Panel
                               190B8A HP LaserJet Department Stand Comet Red Color Panel
                               190C2A HP Color LaserJet Department Cosmic Green Color Panel
                               190C3A HP LaserJet Department Cosmic Green Color Panel
                              190C4A HP LaserJet Department 2x520 sheet Paper Tray/Stand Cosmic Green Color Panel 190C5A HP LaserJet Department High Capacity Paper Tray/Stand Cosmic Green Color Panel 190C8A HP LaserJet Department Stand Cosmic Green Color Panel
                               190D2A HP Color LaserJet Department Constellation Yellow Color Panel
                               190D3A HP LaserJet Department Constellation Yellow Color Panel
                              190D4A HP LaserJet Department 2x520 sheet Paper Tray/Stand Constellation Yellow Color Panel
                              190D5A HP LaserJet Department High Capacity Paper Tray/Stand Constellation Yellow Color Panel 190D8A HP LaserJet Department Stand Constellation Yellow Color Panel
                               190F2A HP Color LaserJet Department Aurora Purple Color Panel
                               190F3A HP LaserJet Department Aurora Purple Color Panel
                               190F4A HP LaserJet Department 2x520 sheet Paper Tray/Stand Aurora Purple Color Panel
                               190F5A HP LaserJet Department High Capacity Paper Tray/Stand Aurora Purple Color Panel
                              190F8A HP Laser Jet Department Stand Aurora Purple Color Panel 2NR12A HP Removable Hard Drive Enclosure 3JN69A HP Jetdirect 3100w BLE/NFC/Wireless Accessory
                              478C2A HP Printing Voice Assistant
                              4QL32A HP Legic Secure USB Reader
                              5QK14A HP MFP 810 Analog Dual Fax
                              6GW47A HP LaserJet 2x520 sheet Department Paper Tray/Stand
                              6GW49A HP LaserJet Inner Finisher
                              6GW50A HP LaserJet Department Job Separator
                              6GW51A HP LaserJet Booklet Finisher
                              6GW53A HP LaserJet Department Stand
                              6GW55A HP LaserJet Stapler/Stacker Finisher
                              6GW56A HP LaserJet 3000 sheet Department High Capacity Paper Tray/Stand
                              6GW57A HP LaserJet 2000 sheet Department High Capacity Paper Tray/Stand 6HN30A HP LaserJet Workflow Accelerator Card
                              7ZA07A HP MFP 811 Analog Dual Fax
                              7ZA08A HP MFP 800 Analog Single Fax
                              7ZA09A HP MFP 801 Analog Single Fax
8FP31A HP Jetdirect LAN Accessory
                              B5L31A HP Foreign Interface Harness
                              X3D03A HP USB Universal Card Reader
Y1G11A HP LaserJet Hole Punch 2/4 Accessory
                               Y1G12A HP LaserJet Hole Punch Swedish Accessory
                              Y1G13A HP LaserJet Inner/Booklet Staples
                              Y1G14A HP LaserJet Stapler/Stacker Finisher Staples
                              Y1G22A HP LaserJet Paper Tray Heaters Accessory
Y7C05A HP HIP2 Keystroke Reader
                              Y7C07A HP SIM for HID iClass for HIP2 Reader
                              8EP60AAE HP Color LaserJet Managed MFP E877 40 to 50ppm License 8EP61AAE HP Color LaserJet Managed MFP E877 40 to 60ppm License 8EP62AAE HP Color LaserJet Managed MFP E877 40 to 70ppm License 8LB48AAE HP Color LaserJet Managed MFP E877 50 to 60ppm License 8LB49AAE HP Color LaserJet Managed MFP E877 60 to 70ppm License
Speed Licenses
```

8LB50AAE HP Color LaserJet Managed MFP E877 50 to 70ppm License

Technical specifications

	Print, copy, scan, fax (optional		T.,	T.,	T.,		
rint speed ^{1,2}	A4 Black	Up to 40 ppm	Up to 50 ppm (with 8EP60AAE)	Up to 60 ppm (with 8EP61AAE)	Up to 70 ppm (with 8EP62AA		
	A4 Color First page out A4 Black	Up to 40 ppm As fast as 8.2 sec	Up to 50 ppm (with 8EP60AAE) As fast as 7.6 sec (with 8EP60AAE)	Up to 60 ppm (with 8EP61AAE) As fast as 7.2 sec (with 8EP61AAE)	Up to 70 ppm (with 8EP62AA As fast as 7.2 sec (with 8EP62AAE)		
	First page out A4 Color	As fast as 9.7 sec	As fast as 8.8 sec (with 8EP60AAE)	As fast as 8.2 sec (with 8EP61AAE)	As fast as 8.0 sec (with 8EP62AAE)		
rint resolution	Black (best): Up to 1200 x 120 full speed; Color (normal): Up	00 dpi full speed; Black (normal to 600 × 600 dpi; Color (fine lin	l): Up to 600 × 600 dpi; Black (fine lines	· ·	· ·		
Print technology	Laser; Optical : Normal (600 x 600 4 bit); Best (1200 x 1200 1 bit)						
Print cartridges number	4 (1 each black, cyan, magent	a, yellow)					
Standard print languages	HP PCL 5c, HP PCL 6, HP Postscript level 3 emulation, PDF (v 1.7), AirPrint™ compatible						
Printer smart software eatures	Print preview, duplex printing, print multiple pages per sheet (2, 4, 6, 9, 16), collation, watermarks, store print jobs, easy-access USB						
Color scanning	Yes						
ican speed Normal³	Up to 150 ppm/300 ipm (b&w), up to 150 ppm/300 ipm (color) Duplex : Up to 300 ipm (b&w), up to 300 ipm (color)						
can type / Technology	Flatbed, ADF / Platen Scanner CCD Digital-CIS						
can resolution	Hardware: Up to 600 × 600 dpi; Optical: Up to 600 × 600 dpi						
ican file format	PDF, Hi-Compression PDF, PDF/A, Hi-Compression PDF/A, JPEG, TIFF, MTIFF, XPS, PDF (OCR), Hi-Compression PDF (OCR), PDF/A (OCR), Hi-Compression PDF/A (OCR), TEXT (OCR), Unicode TEXT (OCR), RTF (OCR), HTML (OCR), CSV (OCR)						
can input modes	Front panel applications: Copy; Fax; Scan to Email; Scan to Network Folder; Scan to USB; Scan to Job Storage; Open Extensibility Platform (OXP), HP Workpath applications						
Scan Size		n; ADF Minimum: 68 x 127 mm;	; Flatbed: 297 x 432 mm;				
Scanner advanced features	Embedded OCR; optimize text/picture (auto); scan to multi-destination; automatic tone; auto orientation; multi-feed detection; reverse and retry; document editing auto paper color removal; job separation (blank page, barcode); watermark; stamps						
Ouplex ADF scanning	Yes						
ADF capacity	Standard, 300 sheets						
wain version	Version 2.4						
it depth / Grayscale levels	24-bit/256						
eatures	Scan to e-mail; save-to-network folder; save-to-USB drive; send to Sharepoint; send to FTP; send to SFTP; send to LAN fax; send to Internet Fax; local address be SMTP over SSL; auto color sense; compact PDF; image adjustments (darkness, contrast, background cleanup, sharpness); optimized text/picture (auto, text, mix printed picture, photograph); content orientation; ID scan; job build; watermark; stamps; book mode scans; erase edges; image preview; blank page suppression to multi destination; embedded OCR; auto-tone, auto orientation, auto-page-crop; multi-feed detection; reverse and retry; document editing; auto paper color removal; job separation; automatically straighten						
Copy speed	A4 Black	Up to 40cpm	Up to 50cpm (with 8EP60AAE)	Up to 60cpm (with 8EP61AAE)	Up to 70cpm (with 8EP62AA		
	A4 Color A4 Black Duplex	Up to 40 cpm Up to 40 cpm	Up to 50 cpm (with 8EP60AAE) Up to 50 cpm (with 8EP60AAE)	Up to 60 cpm (with 8EP61AAE) Up to 60 cpm (with 8EP61AAE)	Up to 70 cpm (with 8EP62AA		
	A4 Color Duplex	Up to 40 cpm	Up to 50 cpm (with 8EP60AAE)	Up to 60 cpm (with 8EP61AAE)	Up to 70 cpm (with 8EP62AA		
	First copy out A4 Black	As fast as 4.9 sec	As fast as 4.2 sec (with 8EP60AAE)	As fast as 3.8 sec (with 8EP61AAE)	As fast as 3.5 sec (with 8EP62AAE)		
			As fast as 5.6 sec (with	As fast as 4.9 sec (with 8EP61AAE)	As fast as 4.3 sec (with 8EP62AAE)		
	First copy out A4 Color	As fast as 6.5 sec	8EP60AAE)	,	OLF OZAAL)		
	Black (text and graphics): ; Up		8EP60AAE) nd graphics): Up to 600 × 600 dpi		OLF OZAAL)		
	Black (text and graphics): ; Up				OLF OZANE)		
Maximum number of copies	Black (text and graphics): ; Up			1	OLF OZNIL)		
Aaximum number of copies Copier resize Copier settings	Black (text and graphics): ; Up Up to 9999 copies 25 to 400% Two-sided copying; scalability photograph); N-Up; N or Z-orc automatically detect color/mo	to 600 x 600 dpi ; Color (text a ; image adjustments (darkness ering; content orientation; colla nochrome; image preview; Ima		ness); optimized text/picture (Auto orage; watermark; stamps; book r R Page Suppression; Auto Oriental	o, text, mixed, printed picture, node scans; erase edges;		
Aaximum number of copies Copier resize Copier settings	Black (text and graphics): ; Up Up to 9999 copies 25 to 400% Two-sided copying; scalability photograph); N-Up; N or Z-orc automatically detect color/mo	to 600 x 600 dpi ; Color (text a ; image adjustments (darkness ering; content orientation; colla nochrome; image preview; Ima	nd graphics): Up to 600 x 600 dpi s, contrast, background cleanup, sharpration; booklet; ID scan; job build; job stogge Shift; Paper Selection; collate; Blank	ness); optimized text/picture (Auto orage; watermark; stamps; book r R Page Suppression; Auto Oriental	o, text, mixed, printed picture, node scans; erase edges;		
Copy resolution Maximum number of copies Copier resize Copier settings Fax speed Fax resolution	Black (text and graphics): ; Up to 9999 copies 25 to 400% Two-sided copying; scalability photograph); N-Up; N or Z-orc automatically detect color/mc Multi-feed Detection; Reverse Up to: 33.6 kbps	to 600 x 600 dpi ; Color (text a ; image adjustments (darkness ering; content orientation; colla nochrome; image preview; Ima and Retry; Document Editing; A	nd graphics): Up to 600 x 600 dpi s, contrast, background cleanup, sharpration; booklet; ID scan; job build; job stogge Shift; Paper Selection; collate; Blank	ness); optimized text/picture (Auto orage; watermark; stamps; book r k Page Suppression; Auto Oriental ion; Automatically Straighten;	o, text, mixed, printed picture, node scans; erase edges;		
Maximum number of copies Copier resize Copier settings Fax speed Fax resolution	Black (text and graphics):; Up to 9999 copies 25 to 400% Two-sided copying; scalability photograph); N-Up; N or Z-orc automatically detect color/mc Multi-feed Detection; Reverse Up to: 33.6 kbps Black (best): Up to 300 × 300 Fax memory: Up to 500 pages No Fax forwarding supported:	to 600 x 600 dpi; Color (text a ; image adjustments (darkness ering; content orientation; colli- nochrome; image preview; Ima and Retry; Document Editing; / dpi (400 x 400 dpi for received ; Up to 500 pages Auto fax red Yes Fax phone TAM interface s um speed dialing numbers: Up	nd graphics): Up to 600 x 600 dpi s, contrast, background cleanup, sharpr ation; booklet; ID scan; job build; job sta age Shift; Paper Selection; collate; Blank Auto Paper Color Removal; Job Separat	ness); optimized text/picture (Auto orage; watermark; stamps; book r R Page Suppression; Auto Oriental ion; Automatically Straighten; dpi (es Fax delayed sending: No Distir ss (poll to receive only) Fax teleph	b, text, mixed, printed picture, mode scans; erase edges; tion; Auto Tone; Crop to page; nctive ring detection supporte one mode supported: No Junk		
Aaximum number of copies copier resize copier settings ax speed ax resolution ax Features	Black (text and graphics): ; Up to 9999 copies 25 to 400% Two-sided copying; scalability photograph); N-Up; N or Z-orc automatically detect color/mc Multi-feed Detection; Reverse Up to: 33.6 kbps Black (best): Up to 300 × 300 Fax memory: Up to 500 pages No Fax forwarding supported: No Fax forwarding supported: No Telephone han	to 600 x 600 dpi; Color (text a ; image adjustments (darkness ering; content orientation; collinochrome; image preview; Ima and Retry; Document Editing; A dpi (400 x 400 dpi for received ; Up to 500 pages Auto fax red Yes Fax phone TAM interface s um speed dialing numbers: Up dset supported: No	nd graphics): Up to 600 x 600 dpi s, contrast, background cleanup, sharpr ation; booklet; ID scan; job build; job sto age Shift; Paper Selection; collate; Blank Auto Paper Color Removal; Job Separat faxes only); Black (standard): 203 x 98 luction supported: Yes Auto-redialing; upported: No Fax polling supported: Ye	ness); optimized text/picture (Auto orage; watermark; stamps; book r Page Suppression; Auto Oriental ion; Automatically Straighten; dpi /es Fax delayed sending: No Distir so (poll to receive only) Fax telephonations) PC interface supported: Y	o, text, mixed, printed picture, node scans; erase edges; tion; Auto Tone; Crop to page; nctive ring detection supporte one mode supported: No Junk fes Remote retrieval capability		
Aaximum number of copies copier resize copier settings cax speed cax resolution cax Features ctandard connectivity	Black (text and graphics): ; Up to 9999 copies 25 to 400% Two-sided copying; scalability photograph); N-Up; N or Z-ord automatically detect color/mc Multi-feed Detection; Reverse Up to: 33.6 kbps Black (best): Up to 300 × 300 Fax memory: Up to 500 pages No Fax forwarding supported: No Telephone han 1 Gigabit Ethernet 10/100/10	to 600 x 600 dpi; Color (text a ; image adjustments (darkness ering; content orientation; colli- nochrome; image preview; Ima and Retry; Document Editing; // dpi (400 x 400 dpi for received ; Up to 500 pages Auto fax red Yes Fax phone TAM interface s um speed dialing numbers: Up dset supported: No	nd graphics): Up to 600 x 600 dpi s, contrast, background cleanup, sharpr ation; booklet; ID scan; job build; job sto age Shift; Paper Selection; collate; Blant Auto Paper Color Removal; Job Separat faxes only); Black (standard): 203 x 98 Juction supported: Yes Auto-redialing: Yes a	ness); optimized text/picture (Auto orage; watermark; stamps; book r Page Suppression; Auto Oriental ion; Automatically Straighten; dpi /es Fax delayed sending: No Distir so (poll to receive only) Fax telephonations) PC interface supported: Y	o, text, mixed, printed picture, node scans; erase edges; tion; Auto Tone; Crop to page; nctive ring detection supporte one mode supported: No Junk fes Remote retrieval capability		
Aaximum number of copies copier resize copier settings cax speed cax resolution cax Features citandard connectivity	Black (text and graphics): ; Up to 9999 copies 25 to 400% Two-sided copying; scalability photograph); N-Up; N or Z-ord automatically detect color/mc Multi-feed Detection; Reverse Up to: 33.6 kbps Black (best): Up to 300 × 300 Fax memory: Up to 500 pages No Fax forwarding supported: barrier supported: Yes Maxims supported: No Telephone han 1 Gigabit Ethernet 10/100/10 SuperSpeed USB 3.0 (host)	to 600 x 600 dpi; Color (text a color text a	nd graphics): Up to 600 x 600 dpi s, contrast, background cleanup, sharpr ation; booklet; ID scan; job build; job sto age Shift; Paper Selection; collate; Blant Auto Paper Color Removal; Job Separat faxes only); Black (standard): 203 x 98 Juction supported: Yes Auto-redialing: Yes a	ness); optimized text/picture (Auto orage; watermark; stamps; book r Page Suppression; Auto Oriental ion; Automatically Straighten; dpi /es Fax delayed sending: No Distir so (poll to receive only) Fax telephonations) PC interface supported: Y	o, text, mixed, printed picture, node scans; erase edges; tion; Auto Tone; Crop to page; nctive ring detection supporte one mode supported: No Junk fes Remote retrieval capability		
Aaximum number of copies copier resize copier settings ax speed fax resolution fax Features standard connectivity letwork capabilities Vireless capability	Black (text and graphics): ; Up Up to 9999 copies 25 to 400% Two-sided copying; scalability photograph); N-Up; N or Z-orc automatically detect color/mc Multi-feed Detection; Reverse Up to: 33.6 kbps Black (best): Up to 300 x 300 Fax memory: Up to 500 pages No Fax forwarding supported: barrier supported: Yes Maxim supported: No Telephone han 1 Gigabit Ethernet 10/100/10 SuperSpeed USB 3.0 (host) Standard (built-in GIGABIT 10/ Optional, enabled with purcha	to 600 x 600 dpi; Color (text a color text a	nd graphics): Up to 600 x 600 dpi s, contrast, background cleanup, sharpr ation; booklet; ID scan; job build; job sto age Shift; Paper Selection; collate; Blant Auto Paper Color Removal; Job Separat faxes only); Black (standard): 203 x 98 Juction supported: Yes Auto-redialing: Yes a	ness); optimized text/picture (Auto orage; watermark; stamps; book rk Page Suppression; Auto Oriental ion; Automatically Straighten; dpi fes Fax delayed sending: No Distir es (poll to receive only) Fax teleph nations) PC interface supported: Y Hi-Speed USB 2.0 (host); 1 Super	o, text, mixed, printed picture, node scans; erase edges; tion; Auto Tone; Crop to page; nctive ring detection supporte one mode supported: No Junk res Remote retrieval capability		
Aaximum number of copies Copier resize Copier settings Tax speed Tax resolution Tax Features Standard connectivity Network capabilities Vireless capability Mobile printing capability	Black (text and graphics): ; Up Up to 9999 copies 25 to 400% Two-sided copying; scalability photograph); N-Up; N or Z-orc automatically detect color/mc Multi-feed Detection; Reverse Up to: 33.6 kbps Black (best): Up to 300 x 300 Fax memory: Up to 500 pages No Fax forwarding supported: barrier supported: Yes Maxim supported: No Telephone han 1 Gigabit Ethernet 10/100/10 SuperSpeed USB 3.0 (host) Standard (built-in GIGABIT 10/ Optional, enabled with purcha	to 600 x 600 dpi; Color (text a color text a	nd graphics): Up to 600 x 600 dpi s, contrast, background cleanup, sharpration; booklet; ID scan; job build; job stage Shift; Paper Selection; collate; Blank Auto Paper Color Removal; Job Separat faxes only); Black (standard): 203 x 98 fuction supported: Yes Auto-redialing: Yes auto-redialing: Yes 1000 numbers (each with 210 desting gration Pocket 2nd generation (HIP2); 1	ness); optimized text/picture (Auto orage; watermark; stamps; book rk Page Suppression; Auto Oriental ion; Automatically Straighten; dpi fes Fax delayed sending: No Distir es (poll to receive only) Fax teleph nations) PC interface supported: Y Hi-Speed USB 2.0 (host); 1 Super	o, text, mixed, printed picture, node scans; erase edges; tion; Auto Tone; Crop to page; nctive ring detection supported one mode supported: No Junk fes Remote retrieval capability		
Maximum number of copies Copier resize Copier settings Fax speed Fax resolution Fax Features Standard connectivity Network capabilities Wireless capability Memory	Black (text and graphics): ; Up 5 Up to 9999 copies 25 to 400% Two-sided copying; scalability photograph); N-Up; N or Z-orc automatically detect color/mc Multi-feed Detection; Reverse Up to: 33.6 kbps Black (best): Up to 300 × 300 Fax memory: Up to 500 pages No Fax forwarding supported: barrier supported: Yes Maxim supported: No Telephone han 1 Gigabit Ethernet 10/100/10 SuperSpeed USB 3.0 (host) Standard (built-in GIGABIT 10/ Optional, enabled with purcha Apple AirPrint™; Mopria™ Cert Standard:6GB; Maximum:6GB Quad Core (1.6GHz), Dual Core	to 600 x 600 dpi; Color (text a to 600 x 600 dpi; Color (text	nd graphics): Up to 600 x 600 dpi s, contrast, background cleanup, sharpration; booklet; ID scan; job build; job stage Shift; Paper Selection; collate; Blank Auto Paper Color Removal; Job Separat faxes only); Black (standard): 203 x 98 fuction supported: Yes Auto-redialing: Yes auto-redialing: Yes 1000 numbers (each with 210 desting gration Pocket 2nd generation (HIP2); 1	ness); optimized text/picture (Autorage; watermark; stamps; book rk Page Suppression; Auto Orientalion; Automatically Straighten; dpi fes Fax delayed sending: No Distires (poll to receive only) Fax telephnations) PC interface supported: Yellospeed USB 2.0 (host); 1 Superiorint	b, text, mixed, printed picture, mode scans; erase edges; tion; Auto Tone; Crop to page; motive ring detection supported one mode supported: No Junk (es Remote retrieval capability rSpeed USB 3.0 (device); 1		
Maximum number of copies Copier resize Copier settings Fax speed	Black (text and graphics): ; Up 5 Up to 9999 copies 25 to 400% Two-sided copying; scalability photograph); N-Up; N or Z-orc automatically detect color/mc Multi-feed Detection; Reverse Up to: 33.6 kbps Black (best): Up to 300 × 300 Fax memory: Up to 500 pages No Fax forwarding supported: barrier supported: Yes Maxim supported: No Telephone han 1 Gigabit Ethernet 10/100/10 SuperSpeed USB 3.0 (host) Standard (built-in GIGABIT 10/ Optional, enabled with purcha Apple AirPrint™; Mopria™ Cert Standard:6GB; Maximum:6GB Quad Core (1.6GHz), Dual Core	to 600 x 600 dpi; Color (text a to 600 x 600 dpi; Color (text	nd graphics): Up to 600 x 600 dpi s, contrast, background cleanup, sharpration; booklet; ID scan; job build; job stage Shift; Paper Selection; collate; Blank Auto Paper Color Removal; Job Separat faxes only); Black (standard): 203 x 98 Juction supported: Yes Auto-redialing; Yupported: No Fax polling supported: Ye to 1000 numbers (each with 210 desting gration Pocket 2nd generation (HIP2); 1 C Touch-to-print (optional); PrinterOn Fembedded 500 GB hard disk drive / Hard gration for the stage of	ness); optimized text/picture (Autorage; watermark; stamps; book rk Page Suppression; Auto Orientalion; Automatically Straighten; dpi fes Fax delayed sending: No Distires (poll to receive only) Fax telephnations) PC interface supported: Yellospeed USB 2.0 (host); 1 Superiorint	b, text, mixed, printed picture, mode scans; erase edges; tion; Auto Tone; Crop to page; motive ring detection supported one mode supported: No Junk (es Remote retrieval capability rSpeed USB 3.0 (device); 1		

Technical specifications

Paper handling	Input Capacities: Up to 1140 sheets (Tray1: up to 100 sheets; Tray2: up to 520 sheets; Tray3: up to 520 sheets) Standard; Up to 50 envelopes; Input Capacities, Max:
raper nanding	Up to 6,140 sheets; Output Capacities: Up to 500 sheets Standard; Up to 100 sheets; Duplex Options: Automatic; Envelope feeder: No; Standard paper trays:
Media types supported	Plain, HP EcoEFICIENT, HP Matte 90g, Light 60-74g, Bond, Recycled, HP Matte 105g, HP Matte 120g, HP Soft Gloss 120g, HP Glossy 120g, Mid-Weight 96-110g, Heavy
<i>5</i>	111-130g, Mid-WtGlossy 96-110g, Heavy Glossy 111-130g, HP Matte 150g, HP Glossy 150g, Extra Heavy 131-175g, XHvyGlossy 131-175g, HP Matte 200g, HP
	Glossy 200g, Card-stock 176-220g, Card Glossy 176-220g, Light Paperboard 221-255g, Paperboard 256-300g, Heavy Paperboard, Color Transparency, Labels,
	Letterhead, Envelope, Heavy Envelope, Preprinted, Pre-punched, Colored
Media weight supported	Tray 1, 2, 3: 60 to 325 g/m ²
Media sizes supported	Tray 1: A3, A4, A4R, A5, A5R, A6, RA3, SRA3, RA4, SRA4, B4 (JIS), B5 (JIS), B6 (JIS), 10x15cm, Oficio, 8K, 16k, Postcard (JIS), Postcard (JIS), Envelope B5, Envelope C5,
	Envelope C6, Envelope DL; Tray 2: A4, A4R, A5, A5R, A6, RA4, B4 (JIS), B5 (JIS), B6(JIS), Oficio, 8K, 16k, Envelope B5, Envelop C5, Envelope C6, Envelope DL; Tray 3: A3,
	A4, A4R, A5, RA3, RA4, B4 (JIS), B5 (JIS), Oficio, 8K, 16k
Media Sizes Custom	Tray 1: 98 x 139.7 to 320 x 457.2 mm; Tray 2: 98 x 139.7 to 241.5 x 297 mm; Tray 3: 140 x 182 to 320 x 457.2 mm
What's in the box	5QK08A HP Color Laser Jet Managed MFP E877z Printer; In box materials; Guide install; Flyer Regulatory; Power Cords; Keyboard/Overlay; Label; Drums
Replacement cartridges ⁴	HP Black Managed LaserJet Toner Cartridge (ISO Yield 25,000) W9160MC; HP Cyan Managed LaserJet Toner Cartridge (ISO Yield 22,500) W9161MC; HP Yellow
	Managed Laser Jet Toner Cartridge (ISO Yield 22,500) W9162MC; HP Magenta Managed Laser Jet Toner Cartridge (ISO Yield 22,500) W9163MC; HP Black Managed
	Laser Jet Toner Cartridge (ISO Yield 50,000) W9170MC; HP Cyan Managed Laser Jet Toner Cartridge (ISO Yield 45,000) W9171MC; HP Yellow Managed Laser Jet Toner
Due donat disease is no	Cartridge (ISO Yield 45,000) W9172MC; HP Magenta Managed Laser Jet Toner Cartridge (ISO Yield 45,000) W9173MC
Product dimensions	W x d x h : 638.8 x 745.9 x 933.9 mm; Maximum : 1656.7 x 1301 x 1503.9 mm;
Product weight	104.6 kg;
Warranty features	1 Year Parts Only. Extended Warranty and support options vary by product, country and local legal requirements. Go to http://www.hp.com/support to learn about HP
Francisco contito d	award winning service and support options in your region.
Energy star certified	Yes
Ecolabels	EPEAT® registered; IT ECO Declaration; Blue Angel
Control panel	10.1-in (25.65 cm) Color Graphics Display (CGD) with touchscreen; rotating (adjustable angle) display; Speaker
Display description	10.1-in (25.65 cm) touchscreen, WXGA Color Graphic Display (CGD)
Software included	No software solutions are included in the box, only on http://hp.com http://123.hp.com
Compatible operating	Windows 11; Windows 10; Windows 7; Windows Client OS; Android; iOS; Mobile OS; macOS 10.15 Catalina; macOS 11 Big Sur; macOS 12 Monterey; Chrome OS
systems Compatible network	Windows 8; Windows Server; Linux; Citrix; UNIX
operating systems	Wildows 8, Wildows Server, Linux, Citrix, Onix
Minimum system	PC: 2 GB available hard disk space, Internet connection, or USB port, Internet browser. For additional OS hardware requirements see http://www.microsoft.com; Mac: 2
requirements	GB available hard drive space, Internet connection, or USB port, Internet browser. For additional OS hardware requirements see http://www.apple.com
Power	Power supply type: Internal (Built-in) power supply; Power requirements: Input voltage: 220 to 240VAC 50/60Hz; Power consumption: 820 watts (40ppm, printing).
· owei	890 watts (SOppm, printing), 1020 watts (60ppm, printing), 1100 watts (70ppm, printing), 41.5 watts (ready), 0.8 watts (sleep), 0.2 watts (auto-off), 0.2 watts
	(manual-off)
Acoustics	Acoustic power emissions: 6.70 Bel(A), printing color simplex A4 at 40ppm; 6.75 Bel(A), printing color simplex A4 at 50ppm; 6.85 Bel(A), printing color simplex A4 at
	60ppm; 7.00 Bel(A), printing color simplex A4 at 70ppm; Acoustic Pressure Emissions (active, printing): 52dB(A), printing color simplex A4 at 40ppm; 53dB(A), printing
	color simplex A4 at 50ppm; 54dB(A), printing color simplex A4 at 60ppm; 55dB(A), printing color simplex A4 at 70ppm; Acoustic Pressure Emissions (active scan):
	54dB(A), ADF scan A4 at 90ipm; 59dB(A), ADF scan A4 at 150ipm
Operating environment	Operating temperature range: 15 to 30° C; Recommended operating temperature: 15 to 30° C; Storage temperature range: -10 to 40° C; Operating humidity range: 20
	to 80% RH; Recommended humidity operating range: 20 to 80% RH

Messaging Footnotes

¹ HP's most advanced embedded security features are available on HP Managed and Enterprise devices with HP FutureSmart firmware 4.5 or above. Claim based on HP review of 2021 published features of competitive in-class printers. Only HP offers a combination of security features to automatically detect, stop, and recover from attacks with a self-healing reboot, in alignment with NIST SP 800-193 guidelines for device cyber resiliency. For a list of

compatible products, visit: hp.com/go/PrintersThatProtect. For more information, visit: http://www.hp.com/go/PrinterSecurityClaims.

Scan speeds measured from ADF. Actual processing speeds may vary depending on scan resolution, network conditions, computer performance, and application software. Measured using standards found at: http://standards.iso.org/ittf/PubliclyAvailableStandards/SC28_Test_Pages/

Based on HP review of competitive manufacturer's published app platform specifications as of April 2019. Only HP Workpath offers a combination of app validation upon submission plus automated re-validation of apps. To enable HP Workpath, some devices may require optional accessory or firmware to be upgraded. Subscription may be required.

4 HP Security is now HP Wolf Security. Security features vary by platform. For more information, visit http://www.hp.com/wolfsecurity.

5 Third-party certification based on Common Criteria Information Technology Security Evaluation ISO/IEC 15408 Standard requirements as of May 2019–2024. Certification applicable to HP Managed and Enterprise devices

running HP FutureSmart Firmware version 4.5.1 and later. For more information: https://www.commoncriteriaportal.org/files/epfiles/Certification%20Report%20-%20HP%20Intrusion%20Detection.pdf 100% outer fiber-based packaging and internal fiber-based cushions made from sustainably sourced certified and recycled fibers.

100% of Original HP Toner Cartridges contain between 1-7796 made from sustainably source certined and recycled noises.
100% of Original HP Toner Cartridges contain between 1-7796 post-consumer or post-industrial recycled content. Does not include toner bottles or other products not listed. See http://www.hp.com/go/TonerRecycledContent for list. Hardware based: Post-consumer recycled is based on the definition set in the EPEAT standard for imaging equipment, IEEE 1680.2, and is expressed as percent of total weight of plastic.

HP voluntarily designs and tests its printing systems to prevent emissions that exceed Blue Angel and EPEAT eco-label guidelines.

HP printer, HP paper and Original HP supply - Blue Angel DE-UZ 219 Emissions Criteria.

Technical Specifications Footnotes

- 1 Measured using ISO/IEC 24734, excludes first set of test documents. For more information see http://www.hp.com/go/printerclaims. Exact speed varies depending on the system configuration, software application, driver, and
- Measured using ISO/IEC 17629. For more information see http://www.hp.com/go/printerclaims. Exact speed varies depending on the system configuration, software application, driver, and document complexity. Scan speeds measured from ADF. Actual processing speeds may vary depending on scan resolution, network conditions, computer performance, and application software.
- Approximate average yield based on ISO/IEC 19798. Actual yield varies considerably based on content of printed pages and other factors. For details, see http://www.hp.com/go/learnaboutsupplies.

