# HP LaserJet Managed Flow MFP E731z Printer series

#### Powerful, Flexible, Secure,

Change is the only constant in business. Transform your business with a printer that can be upgraded over time to expand capabilities. With HP's most secure printers you'll stay secure and simplify fleet management for busy IT pros.



#### Customizable solutions built to last

- Your business needs met. Make the most of performance with unprecedented, flexible configurations built to support the demands of your business.
- Expand device functionality and performance with upgradeable options through any point in contract.
- Unleash your creativity and match any office décor with modern designs and the option of five customizable color panels.
- Make your day-to-day easier by customizing your print experience with cloud-connected HP Workpath apps that let you access personalized content, integrate paper and digital workflows.

### Unleash peak productivity

- Tackle anything with our powerful CPU. Maximize your productivity and increase your overall print performance by copying, scanning and printing documents of all sizes at virtually full speed.
- Easily enable workflows across your fleet with a consistent user experience and intuitive, tablet-like icons on the 10.1-inch color touchscreen display.
- Maintain productivity and stay up to date on the latest features across your fleet with upgradeable HP FutureSmart firmware.<sup>3</sup>
- Centralize control of your printing environment with HP Web Jetadmin—and help build business efficiency.

### Always on guard with HP Wolf Security

- With HP Sure Start always working behind the scenes, the operating code (BIOS) is automatically checked during start-up and repairs itself if compromised.
- The printer's outgoing network connections are inspected to stop suspicious requests and thwart malware so you can stay connected and in the clear.
- Run-time intrusion detection is always on guard. Common Criteria certified<sup>6</sup> to continually monitor memory activity to keep you safe, detecting and stopping attacks in real time.
- HP Memory Shield™ with active system monitoring is an embedded security feature that helps prevent a wide variety of malware attacks from redirecting the execution flow of a program.

#### Better printing, for a better planet

- The fiber-based packaging, including outer box and interior fiber-based cushions, for this product is 100% sustainably sourced, meaning it's made from recycled or certified content.<sup>7</sup>
- Our devices are made with the planet in mind with energy-efficient printing and toner cartridges made from more than 57% recycled plastic.8 Printing that puts the planet first
- Our improved energy efficient designs meet the rigorous criteria of EPEAT Gold, Energy Star, and Blue Angel.<sup>9</sup>
- With formulas that meet current indoor air quality standards, our ultra-low melt toner is efficient for both printing and the planet.

#### Product walkaround

- 1. Hardware Integration Pocket (for connecting accessories and third-party devices)
- 2. Flatbed scanner handles sheets up to A3
- 3. 500-sheet output bin
- 4. Automatic two-sided printing
- 5. Easy-access USB port<sup>2</sup>
- 6. Front door access to toner cartridges
- 7. HP High-Performance Secure Hard Disk
- 8. Slot for cable-type security lock
- 9. SuperSpeed USB 3.0 Host Port
- 10. Hi-Speed USB 2.0 Host Port
- 11. Gigabit Ethernet Port
- 12. SuperSpeed USB 3.0 device port
- 13. 520-sheet tray 3 supports media sizes up to A3
- 14. 200-sheet dual side ADF supports media sizes up to A3 (Flow models only)
- 15. 25.6 cm (10.1 inch) color touchscreen display
- 16. Power button
- 17. Full size keyboard
- 18. Right door access to the print path
- 19. 100-sheet multipurpose tray 1 supports media sizes up to A3
- 20. Optional 2 x 520-sheet dual tray/stand supports media sizes up to A3



# Series at a glance

Model	HP LaserJet Managed Flow MFP E731z				
Product number	5QK02A	5QK02A (Base) + 8EP58AAE (Speed license)	5QK02A (Base) + 8EP59AAE (Speed license)		
Print speed (A4 and letter, black and color) <sup>3</sup>	Up to 30 ppm	Up to 35 ppm	Up to 40 ppm		
Scan speed(A4 and letter, black and color)4	120 ppm/240 ipm, simplex/duplex				
Functions	Print, copy, and scan (fax and wireless optional) (all models)				
ADF capacity	200 sheets				
Input capacity	Standard: 1,140 sheets; Maximum: 3,140 sheets (all models)				
Advanced workflow features	HP EveryPage technology, <sup>5</sup> full size keyboard, embedded OCR, auto orientation, auto-tone, auto page-crop, document editing, auto-page recolor removal, iob separation				

### Top features

Optimize your workflows and help increase productivity with upgradeable hardware options and scalable solutions to support your workforce for today and tomorrow.

Get more done faster with printing, scanning and copying speeds, maximum uptime – powered by HP's custom designed quad-core processor.

HP Wolf Enterprise Security provides the world's most secure printing through industry leading multi-layer, self-healing security that protects, detects, and adapts to new threats. We keep trouble out so you can keep your business running.
Save resources with our energy efficient printing that meets EPEAT Gold, Blue Angel and Energy Star standards 7; supporting HP's goal for carbon neutrality and a fully sustainable economy.

# Services and Solutions

Service and Support	U04NYE HP 1 year Next Business Day with Defective Media Retention Service for LaserJet Managed MFP E731xx U04NZE HP 3 year Next Business Day with Defective Media Retention Service for LaserJet Managed MFP E731xx U04P0E HP 4 year Next Business Day with Defective Media Retention Service for LaserJet Managed MFP E731xx U04PVE HP 5 year Next Business Day with Defective Media Retention Service for LaserJet Managed MFP E731xx U04PWPE HP 1 year Post Warranty Next Business Day with Defective Media Retention Service for LaserJet Managed MFP E731xx U04PXPE HP 2 year Post Warranty Next Business Day with Defective Media Retention Service for LaserJet Managed MFP E731xx U04PXPE HP 1 year Post Warranty Next Business Day with Defective Media Retention Service for LaserJet Managed MFP E731xx U04PXPE HP 2 year Post Warranty Next Business Day with Defective Media Retention Service for LaserJet Managed MFP E731xx U04PXPE HP 1 year Parts Exchange Service for LaserJet Managed MFP E731xx (Managed Component Only) U04PTE HP 4 year Parts Exchange Service for LaserJet Managed MFP E731xx (Managed Component Only) U04QTE HP 5 year Parts Exchange Service for LaserJet Managed MFP E731xx (Managed Component Only) U04QDE HP 1 year Post Warranty Parts Exchange Service for LaserJet Managed MFP E731xx (Managed Component Only) U04QTPE HP 2 year Post Warranty Parts Exchange Service for LaserJet Managed MFP E731xx (Managed Component Only)
Solutions	Security: HP Access Control; HP Security Manager; HP Advance; HP Secure Print and Insights  Mobile and universal print: HP Universal Print Driver (UPD); HP Print for Chrome Extension; HP Smart UPD; HP For Universal Print Workpath App  Management: HP Web JetAdmin; HP Smart Device Services (SDS); Embedded Web Server; HP Command Center; HP Smart Printer Administrator's Resource Kit

<sup>2</sup> Solutions deployed through the Hardware Integration Pocket (HIP) may require additional purchase.
3 An administrator must enable the easy-access USB port before use.
4 Measured using ISO/IEC 24734, excludes first set of test documents. For more information, see hp. com/go/printerclaims . Exact speed varies depending on the system configuration, software application, driver, and document complexity.
5 can speeds measured from ADF. Actual processing speeds may vary depending on scan resolution, network conditions, computer performance, and application software.

#### Data sheet | HP LaserJet Managed Flow MFP E731z Printer series Accessories 155P7A HP LaserJet InnerFinisher 2/3 Hole Punch 155P8A HP LaserJet InnerFinisher 2/4 Hole Punch 155P9A HP LaserJet Inner Finisher Swedish Hole Punch 190A1A HP LaserJet Workgroup Lunar Gray Color Panel 190A3A HP LaserJet Department Lunar Gray Color Panel 190A6A HP LaserJet Workgroup 2x520 sheet Paper Tray/Stand Lunar Gray Color Panel 190A7A HP LaserJet Workgroup High Capacity Paper Tray/Stand Lunar Gray Color Panel 190A9A HP LaserJet Workgroup Stand Lunar Gray Color Panel 190B1A HP LaserJet Workgroup Comet Red Color Panel 190B3A HP LaserJet Department Comet Red Color Panel 190B6A HP LaserJet Workgroup 2x520 sheet Paper Tray/Stand Comet Red Color Panel 190B7A HP LaserJet Workgroup High Capacity Paper Tray/Stand Comet Red Color Panel 190B9A HP LaserJet Workgroup Stand Comet Red Color Panel 190C1A HP LaserJet Workgroup Cosmic Green Color Panel 190C3A HP LaserJet Department Cosmic Green Color Panel 190C6A HP LaserJet Workgroup 2x520 sheet Paper Tray/Stand Cosmic Green Color Panel 190C7A HP LaserJet Workgroup High Capacity Paper Tray/Stand Cosmic Green Color Panel 190C9A HP LaserJet Workgroup Stand Cosmic Green Color Panel 190D1A HP LaserJet Workgroup Constellation Yellow Color Panel 190D3A HP LaserJet Department Constellation Yellow Color Panel 190D6A HP LaserJet Workgroup 2x520 sheet Paper Tray/Stand Constellation Yellow Color Panel 190D7A HP Laser Jet Workgroup High Capacity Paper Tray/Stand Constellation Yellow Color Panel 190D9A HP LaserJet Workgroup Stand Constellation Yellow Color Panel 190F1A HP LaserJet Workgroup Aurora Purple Color Panel 190F3A HP LaserJet Department Aurora Purple Color Panel 190F6A HP LaserJet Workgroup 2x520 sheet Paper Tray/Stand Aurora Purple Color Panel 190F7A HP LaserJet Workgroup High Capacity Paper Tray/Stand Aurora Purple Color Panel 190F9A HP LaserJet Workgroup Stand Aurora Purple Color Panel 2NR12A HP Removable Hard Drive Enclosure 2TD64A HP Accessibility Kit 3JN69A HP Jetdirect 3100w BLE/NFC/Wireless Accessory 478C2A HP Printing Voice Assistant 4QL32A HP Legic Secure USB Reader 5QK14A HP MFP 810 Analog Dual Fax 6GW46A HP LaserJet 2x520 sheet Workgroup Paper Tray/Stand 6GW48A HP LaserJet 2000 sheet Workgroup High Capacity Paper Tray/Stand 6GW49A HP LaserJet Inner Finisher 6GW51A HP LaserJet Booklet Finisher 6GW52A HP LaserJet Workgroup Job Separator 6GW54A HP LaserJet Workgroup Stand 6GW55A HP LaserJet Stapler/Stacker Finisher 6GW58A HP LaserJet Spacer Accessory **6HN30A** HP LaserJet Workflow Accelerator Card **7ZA07A** HP MFP 811 Analog Dual Fax **7ZAO9A** HP MFP 800 Analog Single Fax **7ZAO9A** HP MFP 801 Analog Single Fax 8FP31A HP Jetdirect LAN Accessory B5L31A HP Foreign Interface Harness X3D03A HP USB Universal Card Reader Y1G11A HP LaserJet Hole Punch 2/4 Accessory Y1G12A HP LaserJet Hole Punch Swedish Accessory Y1G13A HP LaserJet Inner/Booklet Staples Y1G14A HP LaserJet Stapler/Stacker Finisher Staples Y1G22A HP LaserJet Paper Tray Heaters Accessory Y1G23A HP LaserJet Second Exit Accessory Y7C05A HP HIP2 Keystroke Reader Y7C07A HP SIM for HID iClass for HIP2 Reader Speed Licenses **8EP58AAE** HP LaserJet Managed MFP E731 30 to 35ppm License **8EP59AAE** HP LaserJet Managed MFP E731 30 to 40ppm License **8LB47AAE** HP LaserJet Managed MFP E731 35 to 40ppm License

<sup>\*</sup> HP LaserJet Workflow Accelerator Card, 6HN30A will be available in January 2023.

# Technical specifications

recillical specifi						
Functions	Print, copy, scan, fax (optional)					
Print speed <sup>1,2</sup>	A4 Black	Up to 30 ppm	Up to 35 ppm (with 8EP58AAE)	Up to 40 ppm (with 8EP59AAE)		
Drint recolution	First page out A4 Black	As fast as 8.9 sec	As fast as 8.1 sec (with 8EP58AAE)	As fast as 7.6 sec (with 8EP59AAE)		
Print resolution	<b>Black (best):</b> Up to 1200 x 1200 dpi reduced speed; <b>Black (normal):</b> Up to 600 x 600 dpi; <b>Black (fine lines):</b> Up to 1200 x 1200 dpi					
Print technology	Laser; Optical: Normal (600 x 600	4 bit); Best (1200 x 1200 1 bit)				
Print cartridges number	1 (black)					
Standard print languages	<u> </u>	t level 3 emulation, PDF (v 1.7), AirPr	·			
Printer smart software features	Print preview, duplex printing, print multiple pages per sheet (2, 4, 6, 9, 16), collation, watermarks, store print jobs, easy-access USB					
Color scanning	Yes					
Scan speed Normal <sup>3</sup>	Up to 120 ppm/240 ipm (b&w), up to 120 ppm/240 ipm (color) <b>Duplex:</b> Up to 240 ipm (b&w), up to 240 ipm (color)					
Scan type / Technology	ADF; Flatbed / Charge Coupled Device (CCD) Flatbed; Contact Image Sensor (CIS) ADF					
Scan resolution	Hardware: Up to 600 x 600 dpi; Optical: Up to 600 x 600 dpi					
Scan file format	PDF, Hi-Compression PDF, PDF/A, Hi-Compression PDF/A, JPEG, TIFF, MTIFF, XPS, PDF (OCR), Hi-Compression PDF (OCR), PDF/A (OCR), Hi-Compression PDF/A (OCR), TEXT (OCR), Unicode TEXT (OCR), RTF (OCR), HTML (OCR), CSV (OCR)					
Scan input modes	Front panel applications: Copy; Fax; Scan to Email; Scan to Network Folder; Scan to USB; Scan to Job Storage; Open Extensibility Platform (OXP), HP Workpath applications					
Scan Size	ADF Maximum: 297 x 420 mm; AD	F Minimum: 68 x 127 mm; Flatbed: 2	297 x 432 mm;			
Scanner advanced features	Embedded OCR; optimize text/picture (auto); scan to multi-destination; automatic tone; auto orientation; multi-feed detection; document editing; auto paper color removal; job separation (blank page, barcode); watermark; stamps					
Duplex ADF scanning	Yes					
ADF capacity	Standard, 200 sheets					
Twain version	Version 2.4					
Bit depth / Grayscale levels	24-bit/256					
Digital sending standard features	Scan to e-mail; save-to-network folder; save-to-USB drive; send to Sharepoint; send to FTP; send to SFTP; send to LAN fax; send to Internet Fax; local address book; SMTP over SSL; auto color sense; compact PDF; image adjustments (darkness, contrast, background cleanup, sharpness); optimized text/picture (auto, text, mixed, printed picture, photograph); content orientation; ID scan; job build; watermark; stamps; book mode scans; erase edges; image preview; blank page suppression; sca to multi destination, embedded OCR; auto-tone, auto orientation, auto-page-crop; multi-feed detection; document editing; auto paper color removal; job separation automatically straighten					
Copy speed	A4 Black	Up to 30 cpm	Up to 35 cpm (with 8EP58AAE)	Up to 40 cpm (with 8EP59AAE)		
., .	A4 Black Duplex	Up to 20 cpm	Up to 23 cpm (with 8EP58AAE)	Up to 25 cpm (with 8EP59AAE)		
	First copy out A4 Black	As fast as 5.0 sec	As fast as 4.6 sec (with 8EP58AAE)	As fast as 4.0 sec (with 8EP59AAE)		
Copy resolution	Black (text and graphics): ; Up to 6	00 x 600 dpi				
Maximum number of copies	S Up to 9999 copies					
Copier resize	25 to 400%					
Copier settings	Booklet; Collation; Content orientation; Crop; Edge Erase; ID Scan; Image adjustment; Job build; Job storage; N or Z-ordering; N-up; Scalability; Text/Photo; Two-sidec copy; Watermark; Scan mode (book, 2-sided ID); Stamps; Image shift; Image preview; Paper selection; Blank page suppression; Automatically strainghten; Automatically detect color/monochrome; Auto tone; Multi-feed detection; Document editing; Auto paper color removal; Job separation					
Fax speed	<b>Up to:</b> 33.6 kbps					
Fax resolution	Black (best): Up to 300 x 300 dpi (400 x 400 dpi for received faxes only); Black (standard): 203 x 98 dpi					
Fax Features	Fax memory: Up to 500 pages; Auto fax reduction supported: Yes Auto-redialing: Yes Fax delayed sending: No Distinctive ring detection supported: No Fax forwardin supported: Yes Fax phone TAM interface supported: No Fax polling supported: Yes (poll to receive only) Fax telephone mode supported: No Junk barrier supported: Yes Maximum speed dialing numbers: Up to 1000 numbers (each with 210 destinations) PC interface supported: Yes Remote retrieval capability supported: No Telephor handset supported: No					
Standard connectivity	1 Gigabit Ethernet 10/100/1000T network; 1 Hardware Integration Pocket 2nd generation (HIP2); 1 Hi-Speed USB 2.0 (host); 1 SuperSpeed USB 3.0 (device); 1 SuperSpeed USB 3.0 (host)					
Network capabilities	Standard (built-in Gigabit 10/100/1000T Ethernet)					
Wireless capability	Optional, enabled with purchase of a hardware accessory					
Mobile printing capability	Apple AirPrint™; Mopria™ Certified; Wi-Fi® Direct Printing; NFC Touch-to-print (optional); PrinterOn Print					
Memory	Standard:6GB; Maximum:6GB					
Processor speed	Quad Core (1.6GHz), Dual Core (1.4GHz) / <b>Storage</b> : Standard, embedded 500 GB hard disk drive / <b>Hard disk</b> : Standard, HP LaserJet 500GB Hard Disk Drive; AES 256 hardware encryption; Secure erase capabilities (Secure File Erase-Temporary Job Files, Secure Erase-Job Data, Secure ATA Erase-Disk)					
Duty cycle (monthly)	A4:	Up to 110,000 pages	Up to 130,000 pages (with 8EP58AA			
Recommended monthly page volume	Up to 20,000	·				

#### Technical specifications

Plan. HP EGEFICIENT, HP Matte 90g, Light 60-74g, Bond, Recycled, HP Matte 100g, HP Matte 120g, HP Soft Gloss 120g, HP Glossy 120g, Mid-Weight 96-110g, Heav Glossy 111-130g, HP Matte 150g, HP Matte 150g, HP Matte 120g, HP Soft Gloss 120g, HP Glossy 120g, Mid-Weight 96-110g, Heav Glossy 111-130g, HP Matte 150g, HP Matte 150g, HP Matte 120g, HP Soft Gloss 120g, HP Matte 120g	Paper handling	Input Capacities: Up to 1140 sheets (Tray1: up to 100 sheets; Tray2: up to 520 sheets; Tray3: up to 520 sheets) Standard; Up to 10 envelopes; Input Capacities, Max:
111–130g, Mid-WiGlossy 96–110g, Heavy Glossy 111–130g, HP Matte 150g, HP Glossy 150g, Extra Heavy 131–175g, HP Matte 200g, Card stock 176–220g, Light Paperboard 221–255g, Paperboard 256–300g, Mono Transparency, Labels, Letterhead, Envelope, Preprinted, Pre punched, Colored Media weight supported Tray 1: 60 to 300 g/m². Tray 1: 33, Ad, A4R, A5, ASR, A6, RA6, B4 (UIS), B5 (UIS), Oficio, BK, 16k, Postcard, Postcard (UIS), Envelope B5, Envelope C6, Envelope C6, Envelope D1; Tray 2: A3, A4, A4R, A5, RA4, B4 (UIS), B5 (UIS), Oficio, BK, 16k, Postcard, Postcard (UIS), Envelope B5, Envelope C6, Envelope C6, Envelope D1; Tray 2: A3, A4, A4R, A5, RA4, SRA4, B4 (UIS), B5 (UIS), Oficio, BK, 16k, Postcard, Postcard (UIS), Envelope B5, Envelope C6, Envelope C6, Envelope C7, E		Up to 3140 sheets; Output Capacities: Up to 500 sheets Standard; Up to 100 sheets; Duplex Options: Automatic; Envelope feeder: No; Standard paper trays: 3
Media weight supported   Tray 1: 60 to 300 g/m²; Tray 2: 36 to 10 220 g/m²   Media sizes supported   Tray 1: 60 to 300 g/m²; Tray 2: 36 to 10 220 g/m²   Media sizes supported   Tray 1: 60 to 300 g/m²; Tray 2: 36 to 10 220 g/m²   Media sizes supported   Tray 1: A3, A4, A4R, A5, A5R, A6, RA4, B4 (UIS), B5 (UIS), B6 (UIS), Dficio, 8K, 16k, Postcard, Postcard (UIS), Envelope B5, Envelope C6, Envelope C6, Envelope D1; Tray 2: A4, A4R, A5, RA4, S4R, B4 (UIS), B5 (UIS), Dficio, 16k, Tray 3: A3, A4, A4R, A5, RA4, S4R, B4 (UIS), B5 (UIS), Dficio, 8K, 16k   Tray 1: 98 x 148 mm to 297 x 432 mm; Tray 2: 139.7 x 210 mm to 297 x 432 mm; Tray 3: 29 x 132 mm to 297 x 432 mm; Tray 3: 29 x 132 mm to 297 x 432 mm to 297 x 432 mm tray 1: 98 x 148 mm to 297 x 432 mm; Tray 1: 98 x 148 mm to 297 x 432 mm; Tray 1: 98 x 148 mm to 297 x 432 mm; Maximum: 1681 x 1196 x 1191 mm; Tray 1: 98 x 148 mm to 297 x 432 mm; Tray 1: 98 x 148 mm to 297 x 432 mm; Tray 1: 98 x 148 mm to 297 x 432 mm; Tray 1: 98 x 148 mm to 297 x 432 mm; Maximum: 1681 x 1196 x 1191 mm; Tray 1: 98 x 148 mm to 297 x 432 mm; Maximum: 1681 x 1196 x 1191 mm; Tray 1: 98 x 4 x 128 mm to 297 x 432 mm tray 1: 98 x 4 x 128 mm to 297 x 432 mm; Maximum: 1681 x 1196 x 1191 mm; Tray 1: 98 x 4 x 128 mm to 297 x 432 mm; Maximum: 1681 x 1196 x 1191 mm; Tray 1: 98 x 4 x 128 mm to 297 x 432 mm; Maximum: 1681 x 1196 x 1191 mm; Tray 1: 98 x 4 x 128 mm to 297 x 432 mm; Maximum: 1681 x 1196 x 1191 mm; Tray 1: 98 x 4 x 128 mm to 297 x 432 mm; Maximum: 1681 x 1196 x 1191 mm; Tray 1: 98 x 4 x 128 mm to 297 x 432 mm; Maximum: 1681 x 1196 x 1191 mm; Tray 1: 98 x 4 x 128 mm to 297 x 432 mm; Maximum: 1681 x 1196 x 1191 mm; Tray 1: 98 x 4 x 128 mm to 297 x 432 mm; Maximum: 1681 x 1196 x 1191 mm; Tray 1: 98 x 4 x 128 mm to 297 x 432 mm; Maximum: 1681 x 1196 x 1191 mm; Tray 1: 98 x 4 x 128 mm to 297 x 432 mm; Maximum: 1681 x 1196 x 1191 mm; Tray 1: 98 x 4 x 128 mm to 297 x 432 mm; Maximum: 1681 x 1196 x 1191 mm; Tray 1: 98 x 4 x 128 mm to 297 x 432 mm; Maximum: 1681 x 1196 x 1191 mm; Tray 1: 98 x 4 x	Media types supported	
Media sizes supported         Tray 1: 60 to 300 g/m²; Tray 2, 3: 60 to 220 g/m²         Tray 1: 60 to 300 g/m²; Tray 2, 3: 60 to 220 g/m²         Tray 1: 60 to 300 g/m²; Tray 2, 3: 60 to 220 g/m²           Media Sizes Custom         Tray 1: 83, A4, A4R, A5, R5R, A6, RA4, B4 (UIS), B5 (UIS), Officio, 16k; Tray 3: A3, A4, A4R, A5, RA4, SRA4, B4 (UIS), B5 (UIS), Officio, 16k; Tray 3: A3, A4, A4R, A5, RA4, SRA4, B4 (UIS), B5 (UIS), Officio, 8K, 16k           Media Sizes Custom         Tray 1: 98 x 148 mm to 297 x 432 mm; Tray 2: 139.7 x 210 mm to 297 x 364 mm; Tray 3: 139.7 x 210 mm to 297 x 432 mm           What's in the box         SQK02A IPI Leser let Managed Flow MPE F231 z Printer; In box materials; cliental; Eyer Regulatory; Power Cords; keyboard/Overlay, Label; Drums           Replacement cartridges¹         Product dimensions         Wx d xh: 640.8 x 725.5 x 858.1 mm; Maximum: 1681 x 1196 x 1191 mm;           Product weight         Wx a xh: 640.8 x 725.5 x 858.1 mm; Maximum: 1681 x 1196 x 1191 mm;         Maximum Review Constitution of Cartridge (USO Yield 48,000) W9065MC           Prestranty features         Prestro Only. Extended Warranty and support options vary by product, country and local legal requirements. Go to http://www.hp.com/support to learn about to award winning service and support options in your region.           Energy star certified         EPEAT® registered; IT ECO Declaration; Blue Angel           Control panel         10.1-in (25.65 cm) Color Graphics Display (CGD)         Ves           Software included         No software solutions are included in the Box only on http://hp.com/go/unixmodelscripts, (		
Media Sizes Custom  Media Sizes Media Media Sizes Sizes Sizes In min Rawam Media Sizes Sizes Sizes Sizes In min Rawam Media Sizes		
Adi, AdR, AS, RAd, SRAd, Bd (JIS), B5 (JIS), Oficio, 16k; Tray 3: 139.7 x 210 mm to 297 x 364 mm; Tray 3: 139.7 x 210 mm to 297 x 320 mm to 2		
Media Sizes Custom         Tray 1: 98 x 148 mm to 297 x 432 mm; Tray 2: 139.7 x 210 mm to 297 x 4364 mm; Tray 3: 139.7 x 210 mm to 297 x 432 mm           What's in the box         SQK02A HP Laser Jet Managed Flow MFP E731z Printer; in box materials; Guide install; Flyer Regulatory; Power Cords; Keyboard/Overlay; Label; Drums           Product dimensions         HP Black Managed Laser Jet Toner Cartridge (ISO Yield 24,000) W9064MC; HP Black Managed Laser Jer Toner Cartridge (ISO Yield 48,000) W9065MC           Wx dx h: 640.8 x 725.5 x 858.1 mm; Maximum: 1681 x 1196 x 1191 mm;           Product weight         64.4 kg;           Vear Parts Only. Extended Warranty and support options vary by product, country and local legal requirements. Go to http://www.hp.com/support to learn about 1 award winning service and support options in your region.           Energy star certified         Yes           Energy star certified         EPEAT® registered; IT ECO Declaration; Blue Angel           Control panel         10.1-in (25.65 cm) Color Graphics Display (ISO)         With to Lance and Support options are included in the Box only on http://hp.com/bull.         Windows Support options are included in the Box only on http://hp.com/bull.           Software included         No software solutions are included in the Box only on http://hp.com/bull.         No software solutions are included in the Box only on http://hp.com/bull.         No software solutions Server 2016 64-bit, Windows Server 2016 64-bit, Windows Server 2016 64-bit, Windows Server 2016 64-bit, Windows Server 2012 64-bit, Windows Server 2012 64-bit, Windows Server 2012 64-bit, Windows Server 2012 64-bit,	Media sizes supported	
Replacement cartridges' HP Black Managed Laser Jet Toner Cartridge (ISO Yield 24,000) W9064MC; HP Black Managed Laser Jer Toner Cartridge (ISO Yield 48,000) W9065MC  Wx d xh: 640.8 x 725.5 x 858.1 mm; Maximum: 1681 x 1196 x 1191 mm;  Product weight 64.4 kg;  Warranty features 1 Year Parts Only. Extended Warranty and support options vary by product, country and local legal requirements. Go to http://www.hp.com/support to learn about it award winning service and support options in your region.  Energy star certified 2 Yes 2 EPEAT® registered: IT ECO Declaration; Blue Angel 2 Control panel 10.1-in (25.65 cm) Color Graphics Display (CGD) with touchscreen; rotating (adjustable angle) display; Speaker 25.65 cm (10.1-in) touchscreen, WKGA Color Graphic Display (CGD)  Software included No software solutions are included in the Box only on http://hp.com http://lp.com/maximum.com/sintended/systems 4 Windows Server 2012 64-bit, Windows Server 2012 82 64-bit,	Media Sizes Custom	
Product dimensions Product weight Froduct weight Fr	What's in the box	5QK02A HP Laser Jet Managed Flow MFP E731z Printer; In box materials; Guide install; Flyer Regulatory; Power Cords; Keyboard/Overlay; Label; Drums
Product weight  64.4 kg;  Warranty features  1 Year Parts Only. Extended Warranty and support options vary by product, country and local legal requirements. Go to http://www.hp.com/support to learn about Naward winning service and support options in your region.  Energy star certified  Yes  EDEAT® registered; IT ECO Declaration; Blue Angel  Control panel  10.1-in (25.65 cm) Color Graphics Display (CGD) with touchscreen; rotating (adjustable angle) display; Speaker  Display description  Software included  No software solutions are included in the Box only on http://hp.com/http://hp.com/http://hp.com/systems  Compatible operating systems  Compatible network operating systems  Windows 11; Windows Client OS; Android; iOS; macOS 10.15 Catalina; macOS 11 Big Sur; macOS 12 Monterey; Chrome OS  Software included  Windows Server 2008 R2 64-bit, Windows Server 2012 64-bit, Windows Server 2012 R2 64-bit, Windows Server 2016 64-bit, Windows Server 2012 R2 64-bit, Unique Server 2012 R2 64-bit, Unique Server 2012 R2 64-bit, Unique Server 2012 R2 R2 64-bit, Unique Server 2012 R2	Replacement cartridges <sup>1</sup>	HP Black Managed LaserJet Toner Cartridge (ISO Yield 24,000) W9064MC; HP Black Managed LaserJer Toner Cartridge (ISO Yield 48,000) W9065MC
### Parts Only. Extended Warranty and support options vary by product, country and local legal requirements. Go to http://www.hp.com/support to learn about is award winning service and support options in your region.  ### Ecolabels  EPEAT® registered; IT ECO Declaration; Blue Angel  **Ontrol panel**  10.1-in (25.65 cm) Color Graphics Display (CGD) with touchscreen; rotating (adjustable angle) display; Speaker  10.1-in) (25.65 cm) Color Graphics Display (CGD)  **Software included**  No software solutions are included in the Box only on http://hp.com http://hp.com/  **Ompatible operating systems**  Windows 11; Windows 10; Windows Client OS; Android; iOS; macOS 10.15 Catalina; macOS 11 Big Sur; macOS 12 Monterey; Chrome OS  **Windows 11; Windows 10; Windows Server 2012 64-bit, Windows Server 2012 R2 64-bit, Windows Server 2012 64-bit, Windows Server 2012 R2 64-bit, Windows Server 2012 64-bit, Windows Server 2012 R2 64-b	Product dimensions	Wxdxh: 640.8 x 725.5 x 858.1 mm; Maximum: 1681 x 1196 x 1191 mm;
Energy star certified EColabels EPEAT® registered; IT ECO Declaration; Blue Angel Control panel 10.1-in (25.65 cm) Color Graphics Display (CGD) with touchscreen; rotating (adjustable angle) display; Speaker Display description 25.65 cm (10.1-in) touchscreen, WXGA Color Graphic Display (CGD) Software included No software solutions are included in the Box only on http://fp.com http://fp.com/touchscreen; one of the box only on http://fp.com/touchscreen; one of the box only one of the box only on http://fp.com/touchscreen; one of the box only one of the box only on http://fp.com/touchscreen; one of the box only one of the box only on http://fp.com/touchscreen; one of the box only one of the box only on http://fp.com/touchscreen; one of the	Product weight	64.4 kg;
Energy star certified  Ecolabels  EPEAT® registered; IT ECO Declaration; Blue Angel  Control panel  10.1-in (25.65 cm) Color Graphics Display (CGD) with touchscreen; rotating (adjustable angle) display; Speaker  Display description  Software included  No software solutions are included in the Box only on http://hp.com http://hp.com  Windows 11; Windows 10; Windows Client 05; Android; iOS; macOS 10.15 Catalina; macOS 11 Big Sur; macOS 12 Monterey; Chrome 0S  systems  Windows Server 2008 R2 64-bit, Windows Server 2012 64-bit, Windows Server 2012 R2 64-bit, Windows Server 2016 64-bit, Windows Server 2016 64-bit, Windows Server 2022 64-bit, Citrix Server 6.5, Citrix XenApp & XenDesktop 7.6, Novell iPrint server, Citrix Ready Kit Certification - Up to Citrix Server 7.18 for more information see http://fibevelopers.hp.com/hp-linux-imaging-and-printing, Unix- For more information see http://hp.com/go/unixmodelscripts, Linux- For more information see http://developers.hp.com/hp-linux-imaging-and-printing, Unix- For more information see http://hp.com/go/unixmodelscripts, (All operating systems with the latest updates)  Minimum system requirements  Power  Power supply type: Internal (Built-in) power supply; Power requirements: Input voltage: 220 to 240VAC 50/60Hz; Power consumption: 560 watts (30ppm, printing), 620 watts (35ppm, printing), 650 watts (40ppm, printing), 35.0 watts (ready), 0.8 watts (sleep), 0.2 watts (auto-off), 0.2 watts (manual-off)  Acoustics Pressure Emissions (active scan): 56 dB(A), Printing simplex A4 at 30ppm; 52 dB(A), printing simplex A4 at 30ppm; 53 dB(A), APF scan A4 at 60pm; Acoustic Pressure Emissions (active scan): 56 dB(A), APF scan A4 at 190ipm; 53 dB(A), APF scan A4 at 60pm  Operating environment  Operating environment  Operating environment	Warranty features	1 Year Parts Only. Extended Warranty and support options vary by product, country and local legal requirements. Go to http://www.hp.com/support to learn about HP
Ecolabels  EPEAT® registered; IT ECO Declaration; Blue Angel  Control panel  10.1-in (25.65 cm) Color Graphics Display (CGD) with touchscreen; rotating (adjustable angle) display; Speaker  25.65 cm) Color Graphics Display (CGD)  Software included  No software solutions are included in the Box only on http://hp.com http://123.hp.com  Windows 11; Windows 10; Windows Client OS; Android; iOS; macOS 10.15 Catalina; macOS 11 Big Sur; macOS 12 Monterey; Chrome OS systems  Compatible network operating systems  Windows Server 2008 R2 64-bit, Windows Server 2012 64-bit, Windows Server 2012 R2 64-bit, Windows Server 2016 64-bit, Windows Server 2012 64-bit, Windows Server 2012 R2 64-bit, Windows Server 2012 R2 64-bit, Windows Server 2019 64-bit, Windows Server 2022 64-bit, Citrix Server 6.5, Citrix XenApp & XenDesktop 7.6, Novell iPrint server, Citrix Ready Kit Certification - Up to Citrix Server 7.18 for more information see http://developers.hp.com/hp-linux-imaging-and-printing, Unix- For more information see http://levelopers.hp.com/hp-linux-imaging-and-printing, Unix- For more information see http://lp.com/go/unixmodelscripts, Linux- For more information see http://developers.hp.com/hp-linux-imaging-and-printing, Unix- For more information see http://lp.com/go/unixmodelscripts, Caperating systems with the latest updates)  Minimum system requirements  Power  PC: 2 GB available hard disk space, Internet connection, or USB port, Internet browser. For additional OS hardware requirements see apple.com  Power supply type: Internal (Built-in) power supply; Power requirements: Input voltage: 220 to 240VAC 50/60Hz; Power consumption: 560 watts (30ppm, printing), 620 watts (35ppm, printing), 650 watts (40ppm, printing), 35.0 watts (ready), 0.8 watts (sleep), 0.2 watts (auto-off), 0.2 watts (manual-off)  Acoustic power emissions: 6.65 Bel(A), printing simplex A4 at 30ppm; 52 dB(A), printing simplex A4 at 35ppm; 52.5 dB(A), printing simplex A4 at 40ppm; Acoustic Pressure Emissions (active, printing): 51 dB(A), printing simplex A4		award winning service and support options in your region.
Control panel Display description Software included Compatible operating systems Compatible network operating systems  Compatible network operating systems  Compatible network operating systems  Compatible network operating systems  Compatible network operating systems  Compatible network operating systems  Compatible network operating systems  Compatible network operating systems  Compatible network operating systems  Compatible network operating systems  Compatible network operating systems  Compatible network operating systems  Compatible network operating systems  Compatible network operating systems  Compatible network operating systems  Compatible network operating systems  Compatible network operating systems  Windows Server 2008 R2 64-bit, Windows Server 2012 64-bit, Windows Server 2012 R2 64-bit, Windows Server 2016 64-bit, Windows Server 2019 64-bit, Windows Server 2012 64-bit, Windows Server 2012 R2 64-bit, Windows Server 2016 64-bit, Windows Server 2019 64-bit, Windows Server 2012 R2 64-bit, Windows Server 2012 R2 64-bit, Windows Server 2016 64-bit, Windows Server 2019 64-bit, Windows Server 2012 R2	Energy star certified	Yes
Display description  25.65 cm (10.1-in) touchscreen, WXGA Color Graphic Display (CGD)  No software solutions are included in the Box only on http://hp.com http://lp.com http://lp.com  Windows 11; Windows 10; Windows Client OS; Android; iOS; macOS 10.15 Catalina; macOS 11 Big Sur; macOS 12 Monterey; Chrome OS  systems  Compatible network  Operating systems  Windows Server 2008 R2 64-bit, Windows Server 2012 64-bit, Windows Server 2012 R2 64-bit, Windows Server 2016 64-bit, Windows Server 2019 64-bit, Windows Server 2018 64-bit, Windows Server 2012 64-bit, Windows Server 2018 64-bit, W	Ecolabels	EPEAT® registered; IT ECO Declaration; Blue Angel
Software included  No software solutions are included in the Box only on http://hp.com http://123.hp.com  Windows 11; Windows 10; Windows Client OS; Android; iOS; macOS 10.15 Catalina; macOS 11 Big Sur; macOS 12 Monterey; Chrome OS  systems  Windows 11; Windows 10; Windows Server 2012 64-bit, Windows Server 2012 R2 64-bit, Windows Server 2016 64-bit, Windows Server 2019 64-bit, Windows Server 2016 64-bit, Windows Server 2019 64-bit, Windows Server 2016 64-bit, Windows Server 2019 64-bit, Windows Server 2016 64-bit, Windows Server 2018 R2 64-bit,	Control panel	10.1-in (25.65 cm) Color Graphics Display (CGD) with touchscreen; rotating (adjustable angle) display; Speaker
Compatible operating systems  Compatible network operating systems  Windows 11; Windows Client OS; Android; iOS; macOS 10.15 Catalina; macOS 11 Big Sur; macOS 12 Monterey; Chrome OS systems  Windows Server 2008 R2 64-bit, Windows Server 2012 64-bit, Windows Server 2012 R2 64-bit, Windows Server 2016 64-bit, Windows Server 2018 64-bit, Windows Server 2018 64-bit, Windows Server 2018 64-bit, Windows Server 2016 64-bit, Windows Server 2018 64-bit, W	Display description	25.65 cm (10.1-in) touchscreen, WXGA Color Graphic Display (CGD)
Compatible network operating systems  Windows Server 2008 R2 64-bit, Windows Server 2012 64-bit, Windows Server 2012 R2 64-bit, Windows Server 2016 64-bit, Windows Server 2019 64-bit, Windows Server 2016 64-bit, Windows Server 2018 R2 64-bit, Windows Server 2016 64-bit, Windows Server 2016 64-bit, Windows Server 2018 R2 64-bit, Windows R2 64-bit, Windows R2 64 84 Pip R2 64 Pip R2	Software included	No software solutions are included in the Box only on http://hp.com http://123.hp.com
Compatible network operating systems  Windows Server 2008 R2 64-bit, Windows Server 2012 64-bit, Windows Server 2012 R2 64-bit, Windows Server 2016 64-bit, Windows Server 2019 64-bit, Windows Server 2016 64-bit, Windows Server 2018 R2 64-bit, Windows Server 2016 64-bit, Windows Server 2016 64-bit, Windows Server 2018 R2 64-bit, Windows R2 64-bit, Windows R2 64 84 Pip R2 64 Pip R2	Compatible operating	Windows 11; Windows 10; Windows Client OS; Android; iOS; macOS 10.15 Catalina; macOS 11 Big Sur; macOS 12 Monterey; Chrome OS
Server 2022 64-bit, Citrix Server 6.5, Citrix XenApp & XenDesktop 7.6, Novell iPrint server, Citrix Ready Kit Certification - Up to Citrix Server 7.18 for more information see http://developers.hp.com/hp-linux-imaging-and-printing, Unix- For more information see http://developers.hp.com/hp-linux-imaging-and-printing, Unix- For more information see http://hp.com/go/unixmodelscripts, Linux- For more information see http://developers.hp.com/hp-linux-imaging-and-printing, Unix- For more information see http://hp.com/go/unixmodelscripts, (All operating systems with the latest updates)  Minimum system requirements  PC: 2 GB available hard disk space, Internet connection, or USB port, Internet browser. For additional OS hardware requirements see microsoft.com; Mac: 2 GB available hard drive space, Internet connection, or USB port, Internet browser. For additional OS hardware requirements see microsoft.com; Mac: 2 GB available hard drive space, Internet connection, or USB port, Internet browser. For additional OS hardware requirements see microsoft.com; Mac: 2 GB available hard drive space, Internet connection, or USB port, Internet browser. For additional OS hardware requirements see microsoft.com; Mac: 2 GB available hard drive space, Internet connection, or USB port, Internet browser. For additional OS hardware requirements see microsoft.com; Mac: 2 GB available hard drive space, Internet connection, or USB port, Internet browser. For additional OS hardware requirements see microsoft.com; Mac: 2 GB available hard drive space, Internet connection, or USB port, Internet browser. For additional OS hardware requirements see microsoft.com; Mac: 2 GB available hard drive space, Internet connection, or USB port, Internet browser. For additional OS hardware requirements see microsoft.com; Mac: 2 GB available hard drive space, Internet connection, or USB port, Internet browser. For additional OS hardware requirements: See apple.com  Power supply type: Internet Connection, or USB port, Internet browser. For additional OS hard	systems	
see http://citrixready.citrix.com, Linux- For more information see http://developers.hp.com/hp-linux-imaging-and-printing, Unix- For more information see http://hp.com/go/unixmodelscripts, Linux- For more information see http://hp.com/go/unixmodelscripts, (All operating systems with the latest updates)  Minimum system requirements PC: 2 GB available hard disk space, Internet connection, or USB port, Internet browser. For additional OS hardware requirements see microsoft.com; Mac: 2 GB available hard drive space, Internet connection, or USB port, Internet browser. For additional OS hardware requirements see microsoft.com; Mac: 2 GB available hard drive space, Internet connection, or USB port, Internet browser. For additional OS hardware requirements see microsoft.com; Mac: 2 GB available hard drive space, Internet connection, or USB port, Internet browser. For additional OS hardware requirements see apple.com  Power supply type: Internal (Built-in) power supply; Power requirements: Input voltage: 220 to 240VAC 50/60Hz; Power consumption: 560 watts (30ppm, printing), 620 watts (35ppm, printing), 650 watts (40ppm, printing), 35.0 watts (ready), 0.8 watts (sleep), 0.2 watts (auto-off), 0.2 watts (manual-off)  Acoustic power emissions: 6.65 Bel(A), printing simplex A4 at 30ppm; 5.70 Bel(A), printing simplex A4 at 35ppm; 6.75 Bel(A), printing simplex A4 at 40ppm; Acoustic Pressure Emissions (active scan): 56 dB(A), ADF scan A4 at 30ppm; 52 dB(A), printing simplex A4 at 120ppm; 53 dB(A), ADF scan A4 at 40ppm; Acoustic Pressure Emissions (active scan): 56 dB(A), ADF scan A4 at 90ppm; 55 dB(A), ADF scan A4 at 120ppm; 53 dB(A), ADF scan A4 at 90ppm; A20ppm; A30ppm;	Compatible network	Windows Server 2008 R2 64-bit, Windows Server 2012 64-bit, Windows Server 2012 R2 64-bit, Windows Server 2016 64-bit, Windows Server 2019 64-bit, Windows
http://hp.com/go/unixmodelscripts, Linux- For more information see http://developers.hp.com/hp-linux-imaging-and-printing, Unix- For more information see http://hp.com/go/unixmodelscripts, (All operating systems with the latest updates)  Minimum system requirements PC: 2 GB available hard disk space, Internet connection, or USB port, Internet browser. For additional OS hardware requirements see microsoft.com; Mac: 2 GB available hard drive space, Internet connection, or USB port, Internet browser. For additional OS hardware requirements see apple.com  Power supply type: Internal (Built-in) power supply; Power requirements: Input voltage: 220 to 240VAC 50/60Hz; Power consumption: 560 watts (30ppm, printing), 620 watts (35ppm, printing), 650 watts (40ppm, printing), 35.0 watts (ready), 0.8 watts (sleep), 0.2 watts (auto-off), 0.2 watts (manual-off)  Acoustics Acoustic power emissions: 6.65 Bel(A), printing simplex A4 at 30ppm; 5.75 Bel(A), printing simplex A4 at 35ppm; 5.75 Bel(A), printing simplex A4 at 40ppm; Acoustic Pressure Emissions (active, printing): 51 dB(A), ADF scan A4 at 30ppm; 52 dB(A), printing simplex A4 at 120ppm; 53 dB(A), ADF scan A4 at 40ppm; Acoustic Pressure Emissions (active scan): 56 dB(A), ADF scan A4 at 90ppm; 58 dB(A), ADF scan A4 at 120ppm; 53 dB(A), ADF scan A4 at 10ppm; A2 dB(A), ADF scan A4 at 120ppm; A3 dB(A), ADF scan A4 at 10ppm; A3 dB(A), ADF scan A4 at 10ppm; A3 dB(A), ADF scan A4 at 10ppm; A4 dB(A), ADF scan A4 at 10ppm; A4 dB(A), ADF scan A4 at 10ppm; A5 dB(A), ADF scan A4 a	operating systems	
http://hp.com/go/unixmodelscripts, (All operating systems with the latest updates)  Minimum system requirements  PC: 2 GB available hard disk space, Internet connection, or USB port, Internet browser. For additional OS hardware requirements see microsoft.com; Mac: 2 GB available hard drive space, Internet connection, or USB port, Internet browser. For additional OS hardware requirements see apple.com  Power supply type: Internal (Built-in) power supply; Power requirements: Input voltage: 220 to 240VAC 50/60Hz; Power consumption: 560 watts (30ppm, printing), 620 watts (35ppm, printing), 650 watts (40ppm, printing), 35.0 watts (ready), 0.8 watts (sleep), 0.2 watts (auto-off), 0.2 watts (manual-off)  Acoustics  Acoustic power emissions: 6.65 Bel(A), printing simplex A4 at 30ppm; 6.75 Bel(A), printing simplex A4 at 30ppm; 6.75 Bel(A), printing simplex A4 at 30ppm; 5.2 dB(A), printing simplex A4 at 35ppm; 5.2 bd(A), printing simplex A4 at 40ppm; Acoustic Pressure Emissions (active, printing). 51 dB(A), ADF scan A4 at 30ppm; 52 dB(A), ADF scan A4 at 120ppm; 53 dB(A), ADF scan A4 at 120ppm; 53 dB(A), ADF scan A4 at 50ppm; 53 dB(A), ADF sca		
Minimum system requirements  PC: 2 GB available hard disk space, Internet connection, or USB port, Internet browser. For additional OS hardware requirements see microsoft.com; Mac: 2 GB available hard drive space, Internet connection, or USB port, Internet browser. For additional OS hardware requirements see apple.com  Power supply type: Internal (Built-in) power supply; Power requirements: Input voltage: 220 to 240VAC 50/60Hz; Power consumption: 560 watts (30ppm, printing), 620 watts (35ppm, printing), 650 watts (40ppm, printing), 35.0 watts (ready), 0.8 watts (sleep), 0.2 watts (auto-off), 0.2 watts (manual-off)  Acoustics  Acoustic power emissions: 6.65 Bel(A), printing simplex A4 at 30ppm; 6.75 Bel(A), printing simplex A4 at 40ppm; Acousti Pressure Emissions (active, printing); 51 dB(A), ADF scan A4 at 30ppm; 52 dB(A), printing simplex A4 at 35ppm; 52.5 dB(A), printing simplex A4 at 40ppm; Acousti Pressure Emissions (active scan): 56 dB(A), ADF scan A4 at 90pm; 58 dB(A), ADF scan A4 at 120pm; 53 dB(A), ADF scan A4 at 60pm  Operating environment  Operating temperature range: 15 to 30°C; Recommended operating temperature: 15 to 30°C; Storage temperature range: -10 to 40°C; Operating humidity range: 2		
requirements available hard drive space, Internet connection, or USB port, Internet browser. For additional OS hardware requirements see apple.com  Power supply type: Internal (Built-in) power supply; Power requirements: Input voltage: 220 to 240VAC 50/60Hz; Power consumption: 560 watts (30ppm, printing), 620 watts (35ppm, printing), 650 watts (40ppm, printing), 35.0 watts (ready), 0.8 watts (sleep), 0.2 watts (auto-off), 0.2 watts (manual-off)  Acoustics Acoustic power emissions: 6.65 Bel(A), printing simplex A4 at 35ppm; 6.75 Bel(A), printing simplex A4 at 40ppm; Acousti Pressure Emissions (active, printing): 51 dB(A), ADF scan A4 at 30ppm; 52 dB(A), printing simplex A4 at 35ppm; 52.5 dB(A), printing simplex A4 at 40ppm; Acousti Pressure Emissions (active scan): 56 dB(A), ADF scan A4 at 90ipm; 58 dB(A), ADF scan A4 at 120ipm; 53 dB(A), ADF scan A4 at 10ppm; Acousti Pressure Emissions (active scan): 56 dB(A), ADF scan A4 at 90ipm; 58 dB(A), ADF scan A4 at 120ipm; 53 dB(A), ADF scan A4 at 10ppm; Acousting temperature range: 10 to 40°C; Operating humidity range: 2	141.1	
Power supply type: Internal (Built-in) power supply; Power requirements: Input voltage: 220 to 240VAC 50/60Hz; Power consumption: 560 watts (30ppm, printing), 620 watts (35ppm, printing), 650 watts (40ppm, printing), 35.0 watts (ready), 0.8 watts (sleep), 0.2 watts (auto-off), 0.2 watts (manual-off)  Acoustics  Acoustic power emissions: 6.65 Bel(A), printing simplex A4 at 30ppm; 6.75 Bel(A), printing simplex A4 at 35ppm; 6.75 Bel(A), printing simplex A4 at 40ppm; Acoustic Pressure Emissions (active, printing): 51 dB(A), ADF scan A4 at 30ppm; 52 dB(A), printing simplex A4 at 35ppm; 52.5 dB(A), printing simplex A4 at 40ppm; Acoustic Pressure Emissions (active scan): 56 dB(A), ADF scan A4 at 90pm; 58 dB(A), ADF scan A4 at 120ipm; 53 dB(A), ADF scan A4 at 160ipm  Operating environment  Operating temperature range: 15 to 30°C; Recommended operating temperature: 15 to 30°C; Storage temperature range: -10 to 40°C; Operating humidity range: 2		
620 watts (35ppm, printing), 650 watts (40ppm, printing), 35.0 watts (ready), 0.8 watts (sleep), 0.2 watts (auto-off), 0.2 watts (manual-off)  Acoustic power emissions: 6.65 Bel(A), printing simplex A4 at 30ppm; 6.70 Bel(A), printing simplex A4 at 35ppm; 6.75 Bel(A), printing simplex A4 at 40ppm; Acoustic Pressure Emissions (active, printing): 51 dB(A), printing simplex A4 at 30ppm; 52 dB(A), printing simplex A4 at 35ppm; 52.5 dB(A), printing simplex A4 at 40ppm; Acoustic Pressure Emissions (active scan): 56 dB(A), ADF scan A4 at 90pm; 58 dB(A), ADF scan A4 at 120pm; 53 dB(A), ADF scan A4 at 10pm; 53 dB(A), ADF scan A4 at 10pm; 53 dB(A), ADF scan A5 at 10pm; 54 dB(A), ADF scan A5 at 10pm; 55 dB(A), ADF s		
Pressure Emissions (active, printing): 51 dB(A), printing simplex A4 at 30ppm; 52 dB(A), printing simplex A4 at 35ppm; 52.5 dB(A), printing simplex A4 at 40ppm; Acoustic Pressure Emissions (active scan): 56 dB(A), ADF scan A4 at 90ipm; 58 dB(A), ADF scan A4 at 120ipm; 53 dB(A), ADF scan A4 at 60ipm  Operating environment  Operating temperature range: 15 to 30°C; Recommended operating temperature: 15 to 30°C; Storage temperature range: -10 to 40°C; Operating humidity range: 2	Power	
Acoustic Pressure Emissions (active scan): 56 dB(A), ADF scan A4 at 90ipm; 58 dB(A), ADF scan A4 at 120ipm; 53 dB(A), ADF scan A4 at 60ipm  Operating environment Operating temperature range: 15 to 30°C; Recommended operating temperature: 15 to 30°C; Storage temperature range: -10 to 40°C; Operating humidity range: 2	Acoustics	Acoustic power emissions: 6.65 Bel(A), printing simplex A4 at 30ppm; 6.70 Bel(A), printing simplex A4 at 35ppm; 6.75 Bel(A), printing simplex A4 at 40ppm; Acoustic
Acoustic Pressure Emissions (active scan): 56 dB(A), ADF scan A4 at 90ipm; 58 dB(A), ADF scan A4 at 120ipm; 53 dB(A), ADF scan A4 at 60ipm  Operating environment Operating temperature range: 15 to 30°C; Recommended operating temperature: 15 to 30°C; Storage temperature range: -10 to 40°C; Operating humidity range: 2		Pressure Emissions (active, printing): 51 dB(A), printing simplex A4 at 30ppm; 52 dB(A), printing simplex A4 at 35ppm; 52.5 dB(A), printing simplex A4 at 40ppm;
	-	Acoustic Pressure Emissions (active scan): 56 dB(A), ADF scan A4 at 90ipm; 58 dB(A), ADF scan A4 at 120ipm; 53 dB(A), ADF scan A4 at 60ipm
to 80% RH: <b>Recommended humidity operating range:</b> 20 to 80% RH	Operating environment	Operating temperature range: 15 to 30°C; Recommended operating temperature: 15 to 30°C; Storage temperature range: -10 to 40°C; Operating humidity range: 20 to 80% RH; Recommended humidity operating range: 20 to 80% RH

#### **Messaging Footnotes**

1 HP's most advanced embedded security features are available on HP Managed and Enterprise devices with HP FutureSmart firmware 4.5 or above. Claim based on HP review of 2019 published features of competitive in-class HIS most advanced embedaged security features are available on HP Managed and Enterprise devices with HP Futuresmart in Irriwaire 4.5 or above. Uaim based on HP review of ZU19 published reatures or competitive in-class printers. Only HP offers a combination of security features to automatically detect, stop, and recover from attacks with a self-healing reboot, in alignment with NIST SP 800-193 guidelines for device cyber resiliency. For a list of compatible products, visit http://www.hp.com/go/PrintersThatProtect. For more information, visit http://www.hp.com/go/PrintersCeurityClaims.

Seed on HP review of competitive manufacturer's published app platform specifications as of April 2019. Only HP Workpath offers a combination of app validation upon submission plus automated re-validation of apps. To enable HP Workpath, some devices may require optional accessory or firmware to be upgraded. Subscription may be required

Some features enabled by future HP FutureSmart firmware upgrades may not be available on older devices, if for example, physical product characteristics limit the functionality of the new feature.

HEAD REPORT OF THE Products of the product of the product of the product of the produced at http://www.bp.com/go/publishedoir.

A Some reduces enabled by return in the new common state of the co

- 6 HP security is now HP woit security. Security reatures vary by platform. For more information, visit nttp://www.pcomywoirsecurity.

  Third-party certification based on Common Criteria Information Technology Security Evaluation ISO/IEC 15408 Standard requirements as of May 2019-2024. Certification applicable to HP Managed and Enterprise devices running HP FutureSmart Firmware version 4.5.1 and later. For more information: https://www.commoncriteriaportal.org/files/epfiles/Certification%20Report%20-%20HP%20Intrusion%20Detection.pdf
- 100% outer fiber-based packaging and internal fiber-based cushions made from sustainably sourced certified and recycled fibers.

  100% of Original HP Toner Cartridges contain between 1-77% post-consumer or post-industrial recycled content. Does not include toner bottles or other products not listed. See https://www.hp.com/go/TonerRecycledContent for list. Hardware based: Post-consumer recycled is based on the definition set in the EPEAT standard for imaging equipment, IEEE 1680.2, and is expressed as percent of total weight of plastic.

  HP voluntarily designs and tests its printing systems to prevent emissions that exceed Blue Angel and EPEAT eco-label guidelines. EPEAT® registered where applicable. EPEAT registration varies by country. See http://www.epeat.net for registration status by country.

HP printer, HP paper and Original HP supply - Blue Angel DE-UZ 219 Emissions Criteria

#### **Technical Specifications Footnotes**

- 1 Measured using ISO/IEC 24734, excludes first set of test documents. For more information see http://www.hp.com/go/printerclaims. Exact speed varies depending on the system configuration, software application, driver, and document complexity.
- Measured using ISO/IEC 17629. For more information see http://www.hp.com/go/printerclaims. Exact speed varies depending on the system configuration, software application, driver, and document complexity.

Scan speeds measured from ADF. Actual processing speeds may vary depending on scan resolution, network conditions, computer performance, and application software.
Approximate average yield based on ISO/IEC 19752. Actual yield varies considerably based on content of printed pages and other factors. For details see http://www.hp.com/go/learnaboutsupplies

